

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	(cach\$4 near4 (data or content or message or email or "e\$6mail")) near9 (compar\$4 or match\$3) and 726/11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:33
L6	7	(cach\$4 near4 (data or content or message or email or "e\$6mail")) near9 (compar\$4 or match\$3) and 726/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:16
L9	2	"6883101".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:29
L11	0	(cache near4 (data or content or message or email or "e\$6mail")) near9 (compar\$4 or match\$3) and "risk assessment"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:35
L13	45	(cache near4 (data or content or message or email or "e\$6mail")) near9 (compar\$4 or match\$3) and vulnerability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:48
L14	1	(cache near4 (data or content or message or email or "e\$6mail")) near9 (compar\$4 or match\$3) and (risk near4 asses\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:44
L15	0	(cache near4 (data or content or message or email or "e\$6mail")) near9 (compar\$4 or match\$3) and (attack near4 asses\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:45
L16	0	(cache near4 (data or content or message or email or "e\$6mail")) near9 (compar\$4 or match\$3) and (port near4 asses\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:45
L18	4	(cache near4 (data or content or message or email or "e\$6mail")) near9 (compar\$4 or match\$3) and (scan\$4) and 726/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:46

## EAST Search History

L19	2	(cache near4 (data or content or message or email or "e\$6mail")) near9 (compar\$4 or match\$3) and (tool) and 726/22.ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:46
L20	2	(cache near9 (compar\$4 or match\$3)) and (risk asses\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 10:49
L21	93	(cache near9 (compar\$4 or match\$3)) and (vulnerability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 11:20
L22	67	(((receiving or requist\$5) near9 cache) near9 (compar%5 or match\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/14 11:22
S2	6	("04753" "26161" "12321").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 07:46
S3	6	("5960087" "5502815" "6108583").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 07:55
S4	3	"23703".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 07:55
S5	30		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 08:05
S6	9		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 08:06
S7	9		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 08:07

## EAST Search History

S8	3		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 08:35
S9	37	("risk assessment" with ("intermediate device" or proxy or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 08:37
S10	13	((("risk assessment" with ("intermediate device" or proxy or server))) and @ad < "20010702")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 14:58
S11	3	((("risk assessment" with ("intermediate device" or proxy or server))) and @ad < "20010702") and ((proxy or server or "intermediate device") near4 between)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 09:12
S14	0	(713/201.ccls. and @ad < "20010702") and ("risk assessment" with (proxy or "internet server" or "network server" or "intermediate server" or router))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 10:00
S15	0	(713/201.ccls. and @ad < "20010702") and ("risk assessment" same (proxy or "internet server" or "network server" or "intermediate server" or router))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 10:00
S16	8	(713/201.ccls. and @ad < "20010702") and ("risk assessment" and (proxy or "internet server" or "network server" or "intermediate server" or router))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 10:00
S17	2	((713/201.ccls. and @ad < "20010702") and ("risk assessment" and (proxy or "internet server" or "network server" or "intermediate server" or router))) and (remote with target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 10:01
S18	93	(determin\$4 or check\$4) with ("intermediate device")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 13:43

## EAST Search History

S19	63	((determin\$4 or check\$4) with ("intermediate device")) and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 14:17
S20	1	(((determin\$4 or check\$4) with ("intermediate device")) and @ad < "20010702") and 713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 13:56
S21	1	(((determin\$4 or check\$4) with ("intermediate device")) and @ad < "20010702") and ((proxy or "intermediate server") with (alarm or notif\$5 or record or email or fax))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 13:55
S22	4	"risk assessment" and ((proxy or "intermediate server") with (alarm or notif\$5 or record or email or fax))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 13:55
S23	2	("risk assessment" and ((proxy or "intermediate server") with (alarm or notif\$5 or record or email or fax))) and 713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 13:56
S24	2	("risk assessment" and ((proxy or "intermediate server") with (alarm or notif\$5 or record or email or fax))) and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 14:30
S26	0	((proxy or router or ((internet or network or intermediate) adj (server or computer or device)) near4 (check\$3 or determining or assess\$3)) with presense)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 14:23
S30	136	(((check\$3 or determining or assess\$3) with (proxy or router or ((internet or network or intermediate) adj (server or computer or device)))) and @ad < "20010702") and 713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 14:56
S32	618	(((check\$3 or determining\$3) adj4 (computer or "work stateion" or server or host)) with involv\$4) and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:06

## EAST Search History

S33	6	(((check\$3 or determin\$3) adj4 (computer or "work stateion" or server or host) with involv\$4) and @ad < "20010702") and 713/201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:04
S34	0	"time to live"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:05
S35	96	ttl with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:05
S36	25	(ttl with flag) and (tcp with flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:06
S37	6	((ttl with flag) and (tcp with flag)) and @ad < "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/02 16:06
S39	1794	713/201.ccls. and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:25
S40	0	(detect\$3 or determin\$3 or check\$4 or identif\$4) same ((intermediate adj (device or client or server or machine or computer)) or router or proxy or (network adj (server or device or client or computer))) same "risk assessment" and 713/201.ccls. and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:36
S41	5	(detect\$3 or determin\$3 or check\$4 or identif\$4) same ((intermediate adj (device or client or server or machine or computer)) or router or proxy or (network adj (server or device or client or computer))) and "risk assessment" and 713/201.ccls. and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 10:37
S42	7	remote with "risk assessment" and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:25

## EAST Search History

S43	0	(determin\$3 same "risk assessment" same (includ\$3 or involv\$3) same (proxy or router or gatway or "intermediate device"))and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:28
S46	1	(determin\$3 same ("computer security" or "risk assessment") same (includ\$3 or involv\$3) same (proxy or router or gatway or "intermediate device")) and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 17:31
S47	6	(("computer security" or "risk assessment") same (includ\$3 or involv\$3) same (proxy or router or gatway or "intermediate device")) and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:35
S49	277	((detect\$3 or discover\$3 or sens\$3 or perceiv\$3 or locat\$3 or determin\$3) near3 (existence presence or "fact of" or includ\$3 or involv\$3) near3 (proxy or router or gatway or "intermediate device")) and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:18
S50	0	((detect\$3 or discover\$3 or sens\$3 or perceiv\$3 or locat\$3 or determin\$3) near3 (existence presence or "fact of" or includ\$3 or involv\$3) near3 (proxy or router or gatway or "intermediate device")) same "risk assessment" and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:45
S51	0	((detect\$3 or discover\$3 or sens\$3 or perceiv\$3 or locat\$3 or determin\$3) near3 (existence presence or "fact of" or includ\$3 or involv\$3) near3 (proxy or router or gatway or "intermediate device")) same vulnerabilit\$3 and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:19
S52	3	((detect\$3 or discover\$3 or sens\$3 or perceiv\$3 or locat\$3 or determin\$3) near3 (existence presence or "fact of" or includ\$3 or involv\$3) near3 (proxy or router or gatway or "intermediate device")) and vulnerabilit\$3 and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:39

## EAST Search History

S53	0	((modif\$7 or chang\$3 or modification or alter\$3) near3 by near3 (proxy or router or gatway or "intermediate device") and vulnerabilit\$3 and @ad <= "20010702")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:43
S54	0	((modif\$7 or chang\$3 or modification or alter\$3) near3 by near3 (proxy or router or gatway or "intermediate device") and ("risk assessment" or vulnerabilit\$3) and @ad <= "20010702")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:53
S55	0	("risk assessment" same (data near modification)) and @ad <= "20010702")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:54
S56	21	("risk assessment" same (modification)) and @ad <= "20010702")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 17:12
S57	2	"6298445".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 17:17
S59	12	(determin\$3 or detect\$3 or identif\$3) same presence same (proxy or router or device or "intermediate device" or pda or "client server" or "work station" or "lap top" or computer) same vulnerabilit\$3 and @ad <= "20010702")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 17:35
S60	2	"6681213".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 15:31
S61	7	("4555805"   "5272754"   "5517568"   "5586185"   "5815571"   "5905859").PN. OR ("6681213").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/13 15:38
S62	0	("6754823").URPN.	USPAT	OR	ON	2005/01/13 16:18
S63	1	"6795846".pn.	USPAT	OR	ON	2005/01/13 16:23
S64	1	"6681213".pn.	USPAT	OR	ON	2005/01/13 16:23

## EAST Search History

S65	0	flag same value same detect\$ same presence same network same (new\$3 adj3 (node or router or proxy or server or device or computer)) and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 08:21
S66	0	flag same detect\$ same presence same network same (new\$3 adj3 (node or router or proxy or server or device or computer)) and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 08:22
S67	0	flag same detect\$3 same presence same network same (new\$3 adj3 (node or router or proxy or server or device or computer)) and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 08:22
S68	0	flag same detect\$3 same presence same network same (node or router or proxy or server or device or computer) and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 08:22
S69	21	detect\$3 same presence same network same (node or router or proxy or server or device or computer) and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 08:26
S70	81	detect\$3 same network same (node or router or proxy or server or device or computer) and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 08:26
S71	9	detect\$3 same new\$3 same network same (node or router or proxy or server or device or computer) and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 11:00
S72	1	(compar\$3 or match\$3) with cach\$3 with content and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 11:40
S73	0	cach adj server and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 11:41
S74	2	cach\$3 adj server and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 11:42

## EAST Search History

S75	5	cach\$3 adj (computer or node or server or device) and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 12:09
S77	4	compar\$3 with cach\$3 and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 13:02
S78	14	(compar\$3 or match\$3 or transmit\$3 or retriev\$3 or send\$3 or receiv\$3) near3 cach\$3 and "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:05
S84	0	(out or non) near header with "error message" and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:11
S85	130	(out or non or out) near2 header with value and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:52
S86	0	header near2 "not" near2 specified and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:53
S87	0	header near2 "not" near2 specif\$3 and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:53
S88	0	header near2 ("not" or un) near2 (specif\$3 or defin\$3) and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:55
S89	20	header near2 ("not" or un or without or "non" or null) near2 (specif\$3 or defin\$3) and @ad <= "20010702"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:18
S90	2	"6681213".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:18

## EAST Search History

S91	63	"5563946"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:25
S92	2	"5563946".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:26
S93	2	"5623637".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:27
S94	2	"5502766".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 16:25
S95	91	procedures with (risk assessment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/06/08 06:58
S96	2	"6883101".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/06 08:04
S97	332	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/06 08:07
S98	0	713/183.ccls. and (assign\$4 near5 password near5 characters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/06 08:07
S99	47	(assign\$4 near5 password near5 characters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/06 08:08
S100	2	713/182.ccls. and (assign\$4 near5 password near5 characters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/06 08:10

## EAST Search History

S10 1	1	713/182.ccls. and (assign\$4 near5 password near5 index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/06 08:10
S10 2	192	726/21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/07 16:26
S10 3	5	nmap near2 scanner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 10:51
S10 4	21	nmap near3 scan\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 10:52
S10 8	20	(port near3 scan\$5) and (risk near2 asses\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 11:14
S10 9	75	(port near3 scan\$5) same (router or gateway or (intermed\$3 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 11:58
S11 3	0	((man-in-the-middle attack) or (MITM)) near (gateway or router)) or ((spoofing attack) near (gateway or router)) or (masquerade near (gateway or router) near attack) or (substitution near (gateway or router) near attack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:05
S11 4	3	((man-in-the-middle attack) or (MITM)) near3 (gateway or router)) or ((spoofing attack) near3 (gateway or router)) or (masquerade near3 (gateway or router) near attack) or (substitution near3 (gateway or router) near3 attack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:17

## EAST Search History

S11 5	6	(((man-in-the-middle attack) or (MITM)) near5 (gateway or router)) or ((spoofing attack) near5 (gateway or router)) or (masquerade near5 (gateway or router) near attack) or (substitution near3 (gateway or router) near5 attack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:08
S11 9	0	((determin\$5 or detect\$5) near4 (((man-in-the-middle attack) or (MITM)))) and (risk near assess\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:11
S12 1	20	((determin\$5 or detect\$5) near4 (((man-in-the-middle attack) or (MITM))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:17
S12 4	0	(scan\$4 near3 (((man-in-the-middle attack) or (MITM))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:17
S12 6	0	(((man-in-the-middle attack) or (MITM)) or (spoofing attack) or (masquerade attack) or (substitution attack)) and (risk near2 asses\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:19
S12 7	305	(((man-in-the-middle attack) or (MITM)) or (spoofing attack) or (masquerade attack) or (substitution attack)) and (vulnerability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:20
S12 8	5	(((man-in-the-middle attack) or (MITM)) or (spoofing attack) or (masquerade attack) or (substitution attack)) and (vulnerability) and (port scan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:20
S12 9	5	(((man-in-the-middle attack) or (MITM)) or (spoofing attack) or (masquerade attack) or (substitution attack)) and (vulnerability) and (port near3 scan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:21
S13 0	13	(((man-in-the-middle attack) or (MITM)) or (spoofing attack) or (masquerade attack) or (substitution attack)) and (port near3 scan\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:23

## EAST Search History

S13 1	206	(gateway or router or (intermed\$4 near (server or device or client or node))) same (((modif\$4) or (replay attack) or (masquerade attack)) near5 (detect\$4 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:27
S13 2	10	(gateway or router or (intermed\$4 near (server or device or client or node))) same (((modif\$4) or (replay attack) or (masquerade attack)) near5 (detect\$4 or determin\$5)) and ((risk near assess\$4) or vulnerab\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:35
S13 3	12	(gateway or router or (intermed\$4 near (server or device or client or node))) same (((modif\$6 or counterfeit\$5) or (replay attack) or (masquerade attack)) near5 (detect\$4 or determin\$5)) and ((risk near assess\$4) or vulnerab\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:38
S13 4	2	(gateway or router or (intermed\$4 near (server or device or client or node))) same (((modif\$6 or counterfeit\$5) and ((replay attack) or (masquerade attack)) near5 (detect\$4 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:40
S13 6	427	(gateway or router or (intermed\$4 near (server or device or client or node))) near5 (modif\$6 or counterfeit\$5) same (detect\$5 or determin\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:40
S13 7	31	(gateway or router or (intermed\$4 near (server or device or client or node))) near5 (modif\$6 or counterfeit\$5) near5 (detect\$5 or determinat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/04/13 12:41